



BF-CM625S

Push-to-talk over Cellular

- Push-to-talk over 4G/LTE Networks
- Wi-Fi; Bluetooth
- A Long Battery Life
- Multiple Charging Modes
- Individual, Group and All Calls
- Over-the-air Programming



OVERVIEW

BF-CM625s is a compact and smart PoC two-way radio that offers nationwide (or even worldwide) coverage over 4G/LTE networks for your PTT communications. The user can enjoy license free nationwide radio communications. With a battery capacity of 5200mAh, it can easily meet the battery needs of long day operations.

HIGHLIGHTS AND BENEFITS

Fast Communications with 4G Networks

4G networks give BF-CM625s a higher data transfer rate and reduced latency, and thus enable the user to communicate with unprecedented speed and efficiency.

Diverse Network Coverage: LTE, GSM, WCDMA, Wi-Fi

BelFone PoC radio BF-CM625s works over GSM, WCDMA and Wi-Fi networks, giving you the most dynamic options for your PTT communications.

Talker Priority (Supervisory Override)

A radio with higher level can interrupt communications between radios with lower levels, giving higher priority to senior workers.

Dispatch Application

BelFone BF-CM625s comes with an optional dispatch application that allows managers to track every worker's location in real-time and can monitor and dispatch with ease.

Real-time Radio Status

This function allows the user to know whether another user is available or not with the real-time presence indicator--green for "Available" to talk while red for "Do Not Disturb" (DND).








FEATURES

- PTT Over 4G LTE Networks
- PTT Over 4G LTE Networks Over-the-air Programming
- Talker Priority (Supervisory Override)
- High Quality, Clear Audio
- GPS/Big Dipper (China)

STANDARD ACCESSORIES



OPTIONAL ACCESSORIES



SPECIFICATION

General

| | |
|--|---|
| Working Voltage | 3.7V |
| OS | Android 4.4 |
| Support Network System (the rest of the band can be customized) | FDD-LTE:B1/B3/B5; WCDMA: B1; CDMA/GSM; TDD-LTE: B38/B39/B40/B41; TD:B34/B39; |
| GPS/Big Dipper | Support, for optional features |
| Wi-Fi | 2.4GHz |
| Bluetooth | 4.0 |
| Battery Capacity | Li-ion 5200mAh Note:Battery life depends on the network environment |
| Dust& Water Proof | IP54 |
| Temperature | Operating Temperature:-20℃~+60℃ Storage Temperature: -40℃~+70℃ |
| Memory | 4GB (EMMC) +512MB (DDR3) |
| Support Group | 2000 |
| Interface | Sim card*1 (micro sim) /2.5mm earphone jack*1 |
| USB | Micro USB (For data transmission and battery charge) |
| Maximum Speed | Uplink speed:50Mbps/Downlink speed:150Mbps |
| Languages | Chinese/English/Support Customization |
| Dimensions | 55(L)x36(W)x126(H)mm |
| Weight | 250g |
| Humidity | 5%~95% relative humidity |

Fujian BelFone Communications Technology Co., Ltd

Add: A-15 Huaqiao Economic Development Zone, Luojiang, Quanzhou, Fujian, China

Email: overseas@belfone.com

Phone: +86 595 28396717

Fax: +86 595 22771635



Dedicated to increasing the efficiency and reliability of missioncritical communications, BelFone is always on the way to offer responsive, flexible and reliable products. For more information about our products and solutions, contact us or visit us at www.belfone.com.

